



SCOTT COUNTY HIGHWAY DEPARTMENT
Public Works Division
600 Country Trail East
Jordan, MN 55352-9339

Phone: 952-496-8487

Fax: 952-496-8365

COMMERCIAL ACCESS APPLICATION CHECKLIST

- Signed Full Plan Set.** Showing all inplace utilities and structures.
- Signage & Striping Plan Sheet** - The following information needs to be included on the Signage & Striping Plan Set:

Pavement markings shall comply with current Minnesota Department of Transportation, Traffic Engineering Manual. Chapter 7, Pavement Marking. Permanent pavement markings shall not be placed over any temporary or permanent markings. It will be the responsibility of the Developer/Contractor to place control points for pavement markings to be inspected and approved by Scott County Highway Engineer prior to application.
- Removal/Replacement Plan Sheet.**
- Erosion Control Plan Sheet** – Showing all B.M.P.'s. Erosion Control Blanket Required on all disturbed areas. Class 1 or 2 short term natural thread biodegradable material erosion control blanket (No polypropylene).
- Pavement Section w/Mix Designs** - Approved Sub Base, Class 5 Base, Bituminous Base Course, Tack Coat, Bituminous Binder Course, Tack Coat, Bituminous Wear Course. Scott County will determine required G.E. and advise on thicknesses & mix designation.
- Cross Sections Every 50' & At Every Approach or Culvert-** Showing 4:1 Inslopes Inside Grading Limits at a scale of 1"=10' Vertical & Horizontal.
- Bypass/RTL or LTL Detail with Milling/Sawcut Detail Shown On Plan**
These plans can be obtained from the Scott County Highway Department.
- Easements For Road Improvements Need To Be Recorded Prior To Application Approval.**
- Certified Passing Density Tests Will Be Required-** The following information needs to be shown on plan set:

Contractor must provide certified documentation of passing density in compliance with MnDOT specifications to the Scott County Highway Engineer prior to commencing with the next phase of construction.
- Rock (or Other Approved Material) Construction Entrance and Sweeping Will Be Required –**
Must be shown on plan set & installed prior to beginning construction.